## PURE MATHEMATICS, PAPER-I



# FEDERAL PUBLIC SERVICE COMMISSION COMPETITIVE EXAMINATION FOR RECRUITMENT TO POSTS IN BPS-17 UNDER THE FEDERAL GOVERNMENT, 2009

**PURE MATHEMATICS, PAPER-I** 

S.No.

R.No.

TIME ALLOWED: 3 HOURS

# MAXIMUM MARKS:100

	(i) Attempt <b>FIVE</b> questions in all by selecting at least <b>THREE</b> questions from <b>SECTION A</b> and <b>TWO</b> question from <b>SECTION P</b> . All questions corrected to the selection of th
NOTE:	marks.
	(ii) Use of Scientific Calculator is allowed.

## SECTION – A

- Q.1. (a) Prove that the set  $S_n$  of all permutations on a set X of n elements is a group under the operation 'o' of composition of permutations. Will  $(S_n, o)$  be an abelian group? How do we call this group? (10)
  - (b) If G is a group, N a normal subgroup of G, then show that the set G/N of right cosets of N in G is also a group. How we call this group? Also, if G is finite then show that  $o\left(\frac{G}{N}\right) = \frac{o(G)}{o(N)}.$ (10)
- **Q.2.** (a) Let cp be a homomorphism of a group G onto another group H with kernel K. Prove that G/K is isomorphic to H, that is  $G/K \approx H$ . (10)
- **Q.3.** (a) Let  $T : \mathbb{R}^3 \to \mathbb{R}^3$  be the linear mapping defined by: T(x,y,z) = (x+2y-z, y+z, x+2y-z)Verify that Rank (T) + Nullity (T) = dim D(T) Also find a basis for each Rank (T) and Nullity (T) (10)
  - (b) If U and W are finite dimensional subspaces of a vector space V over a field F then prove that  $dim(U+W) + dim(U \cap W) = dim U + dim W$  (10)
- **Q.4.** (a) Let H and K be two subgroups of a group G. Prove that HK is a subgroup of  $G \Leftrightarrow HK = KH$ . (10)
  - (b) Let v<sub>1</sub>, v<sub>2</sub>, ..., v<sub>n</sub> be non-zero eigen vectors of an operator T:V→V belonging to distinct eigen values λ<sub>1</sub>, λ<sub>2</sub>, ..., λ<sub>n</sub>. Show that the vectors v<sub>1</sub>, v<sub>2</sub>, ..., v<sub>n</sub> are linearly independent. (10)

Page 1 of 2

### **PURE MATHEMATICS, PAPER-I**

**Q.8**.

- **Q.5.** (a) Let V be the vector space of n-square matrices over the field IR. Let U and W be the subspaces of symmetric and antisymmetric matrices, respectively. Show that  $V = U \oplus W$ . (10)
  - Diagonalize the following matrix: (b)

$$M = \begin{bmatrix} -4 & -4 & -8 \\ 4 & 6 & 4 \\ 6 & 4 & 10 \end{bmatrix}$$

#### <u>SECTION – B</u>

- Find the lengths of the following curves: (10)**Q.6.** (a) (i)  $9y^2 = 4x^3$  from x = 3 to x = 8(ii)  $r = Sin^2 \frac{\theta}{2}$  from  $\theta = o$  to  $\theta = \Delta$ (b) Find the radius of curvature of the given curve at the designated point. (10) $y = \frac{a}{2} \ln \frac{\sqrt{a^2 + x^2 + a}}{\sqrt{a^2 + x^2 - a}} - \sqrt{a^2 + x^2}; (x, y)$ **Q.7.** (a) Show that the two lines  $L_1: x = 4 - t, y = -2 + 2t, z = 7 - 3t$ 
  - $L_2: x = x = 3 + 2s, y = -7 3s, z = 6 + 4s$ are skew. Also find the points on the lines such that the segment joining these points is perpendicular to both lines and hence find the shortest distance between the given lines. (10)Find the equation of the sphere through the circle  $x^2 + y^2 + z^2 = 1$ , 2x + 4y + 5z = 6 and touching (b)
  - the plane z = 0. (10)

(a) At a point on a curve 
$$\underline{r} = \underline{r}(t)$$
 at which  $k \neq o$ , show that  

$$\tau = \frac{[\underline{r'} \ \underline{r''}}{|\underline{r'} \times \underline{r''}|^2}$$
where  $\underline{r'} = \frac{d\underline{r}}{dt}$ 
(10)

(b) Find the First Fundamental Form and fundamental magnitudes of first order for the sphere  $r = (a \cos u. \cos v, a \cos u. Sinv, a Sinu)$ (10)

Also prove that parametric curves are orthogonal.

\*\*\*\*\*\*\*\*\*\*\*\*\*

### PURE MATHEMATICS, PAPER-II



# FEDERAL PUBLIC SERVICE COMMISSION COMPETITIVE EXAMINATION FOR RECRUITMENT TO POSTS IN BPS-17 UNDER THE FEDERAL GOVERNMENT, 2009

#### **PURE MATHEMATICS, PAPER-II**

S.No.

R.No.

### TIME ALLOWED: 3 HOURS

### **MAXIMUM MARKS:100**

NOTE:	<ul> <li>(i) Attempt FIVE questions in all by selecting at least THREE questions from SECTION-A and TWO question from SECTION-B. All questions carry EQUAL marks.</li> <li>(ii) Use of Scientific Calculator is allowed.</li> </ul>
-------	---

### SECTION – A

Q.1. (a) Let the function  $f = [-2, 2] \rightarrow R$  be defined by f(x) = |x|. Show that f is continuous at x = 0 but it is not differentiable at x = 0. Will there exist a point c in ]–1, 1[ such that f'(c) = 0 or f(1) - f(-1) = 2 f'(c)? (10)

(b) Evaluate 
$$\lim_{x \to 0} \frac{(1+x)^{\frac{1}{x}} - e}{x}$$
 (10)

Q.2. (a) Find the asymptotes of the curve defined by the equation  $(\mathbf{x} - \mathbf{y})^2 (\mathbf{x}^2 + \mathbf{y}^2) - 10(\mathbf{x} - \mathbf{y}) \mathbf{x}^2 + 12\mathbf{y}^2 + 2\mathbf{x} + \mathbf{y} = 0$ (10)

(b) Test the convergence of the series

$$\sum_{n=1}^{\infty} \frac{1}{n^k}, k > 0$$

How do we call this series?

(10)

Q.3. (a) Find the area enclosed by the parabola  $y^2 + 16x + 6y - 71 = 0$  and the line 4x + y + 7 = 0 (10) (b) Find the volume of the solid generated by revolving about the y-axis the area of the triangle with vertices at (2,1), (6,1) and (4,5). (10)

**Q.4.** (a) If 
$$u = \operatorname{are} Sin \frac{\left(x^2 + y^2\right)}{x + y}$$
, show that  $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} = \tan u$ . (10)

(b) Integrate 
$$F(x, y) = \frac{1}{y^4 + 1}$$
 over the region  $R: o \le x \le 8, \sqrt[3]{x} \le y \le 2$  (10)

**Q.5.** (a) Let X be the set of all (bounded or unbounded) sequences of complex numbers. If d:  $X \times X \rightarrow R$  is defined as

$$d(x, y) = \sum_{j=1}^{\infty} \frac{1}{2^{j}} \frac{\left|\xi_{j} - \eta_{j}\right|}{1 + \left|\xi_{j} - \eta_{j}\right|}$$
  
where  $x = (\xi_{j})$  and  $y = (\eta_{j})$ , then show that d is a metric on X. (10)

(b) Prove that the mapping:

$$T: (X, d_x) \to (Y, d_y) \tag{10}$$

is continuous at a point  $x_o \in X \Leftrightarrow x_n \to x_o$  implies  $Tx_n \to Tx_o$ .

### **SECTION – B**

If  $Z = \frac{(1+i) + (3+2i)t}{1+it}$ , then show that the locus of Z is a circle. Also calculate the minimum **Q.6.** (a) (10)and maximum distance of Z from the origin. (b) Find the complex number Z satisfying the equation  $Z^{2} + (2i - 3) Z + (5 - i) = 0$ (10)**Q.7.** (a) Show that the function u(x,y) = 4xy - 3x + 2is harmonic. Construct the corresponding analytic function f(z) = u(x,y) + iv(x,y)(10)Find the Fourier Series of the function (b)  $f(x) = \begin{cases} x, & 0 < x \le \pi \\ 2\pi - x, & \pi < x < 2\pi \end{cases}$ period  $2\pi$ (10)Evaluate the following integral by using Canchy Integral Formula: **Q.8.** (a)  $\int \frac{4-3z}{z(z-1)(z-2)} dz$ where C is the circle  $|z| = \frac{3}{2}$ (10)

(b) Prove that

$$\int_{0}^{2\pi} \frac{d\theta}{1 - 2p \cos\theta - p^2} = \frac{2\pi}{1 - p^2}$$
  
where o < p < 1. (10)

\*\*\*\*\*